UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/553,871	12/04/2006	Hiroshi Inoue	279897US0PCT	1102
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET			EXAMINER	
			HAWKINS, KARLA	
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			1797	
			NOTIFICATION DATE	DELIVERY MODE
			03/18/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

	Application No.	Applicant(s)			
	10/553,871	INOUE ET AL.			
Office Action Summary	Examiner	Art Unit			
	KARLA HAWKINS	1797			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>21 Oc</u> This action is FINAL . 2b) ☑ This Since this application is in condition for allowant closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) Claim(s) 1 and 2 is/are pending in the application 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1 and 2 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or are subject to restriction and/or are subject to by the Examine 10) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the content of th	vn from consideration. relection requirement. r. epted or b) □ objected to by the B				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 01/19/06.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate			

Application/Control Number: 10/553,871 Page 2

Art Unit: 1797

DETAILED ACTION

1. This is the initial Office action for application 10/553,871.

2. Claims 1-2 are pending.

Claim Rejections - 35 USC § 103

- 3. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- Claims 1-2 are rejected under 35 U.S.C. 103(a) as being unpatentable over KOJI
 (JP 2002306976A), and further in view of KAZUO (JP 10174838A).

Application/Control Number: 10/553,871 Page 3

Art Unit: 1797

6. **KOJI** discloses an organic porous ion exchanger which has an open pore structure wherein a mesopore having a average diameter 1 to 1,000 μm is formed in the wall between a macropore and macropore connected with each other, has a total pore volume of 1-50 ml/g, has an ion exchange groups being uniformly distributed, and has an ion-exchange capacity of 0.5 mg equivalent/g of dried porous material or more, and also describes 10 to 100 μm as the preferred average diameter of the mesopore, as well as the ion-exchange capacity being 4.0 mg equivalent/g of dried porous material (abs.).

- 7. **KOJI** does not appear to expressly disclose an adsorption layer.
- However, KAZUO discloses the use of an ion exchanger as the adsorbent layer of a chemical filter (abs.)
 - *[KOJI and KAZUO are analogous art because they are from the *problem-solving area* if deionizing water and humidity control.
- At the time of the invention, it would have been obvious to one of ordinary skill in the art to modify the ion exchanger of KOJI to include the use as an adsorbent layer of KAZUO.
- 10. The motivation would have been to relax a humidity control and also to improve a treating efficiency and to effectively prevent a breeding of microorganisms (KAZUO, abs.)
- 11. Therefore, the invention as a whole would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made.

Application/Control Number: 10/553,871 Page 4

Art Unit: 1797

12. With regard to claim 2, **KAZUO** discloses a conventional cation exchanger and an anion exchanger are used as the ion exchanger to be used (abs.)

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KARLA HAWKINS whose telephone number is (571) 270-5562. The examiner can normally be reached on Monday-Thursday 7:30-5, alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on 571-272-1166. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/DUANE SMITH/ Supervisory Patent Examiner, Art Unit 1797 Karla Hawkins Examiner Art Unit 1797